

Linsenkopf-Bohrschrauben


mit Kreuzschlitz (H-Phillips)

Pan head self drilling screws

with cross recessed (H-Phillips)

Vis autoforeuse-tête cylindrique bombée

empreinte cruciforme (H-Phillips)



1 Stahl verzinkt
Steel zinc plated
Acier zingué

Ø 4,2 mm

M = No.2



4,2 x 13 mm	2	1000	41101 42 130
4,2 x 16 mm	2	1000	41101 42 160
4,2 x 19 mm	2	1000	41101 42 190
4,2 x 22 mm	2	500	41101 42 220
4,2 x 25 mm	2	500	41101 42 250
4,2 x 32 mm	2	500	41101 42 320
4,2 x 38 mm	2	500	41101 42 380

Ø 4,8 mm

M = No.2



4,8 x 13 mm	2	1000	41101 48 130
4,8 x 16 mm	2	1000	41101 48 160
4,8 x 19 mm	2	1000	41101 48 190
4,8 x 22 mm	2	500	41101 48 220
4,8 x 25 mm	2	500	41101 48 250
4,8 x 32 mm	2	400	41101 48 320
4,8 x 38 mm	2	250	41101 48 380
4,8 x 45 mm	2	250	41101 48 450
4,8 x 50 mm	2	250	41101 48 500

Ø 5,5 mm

SW = No.3



5,5 x 19 mm	3	500	41101 55 190
5,5 x 22 mm	3	500	41101 55 220
5,5 x 25 mm	3	500	41101 55 250
5,5 x 32 mm	3	500	41101 55 320
5,5 x 38 mm	3	500	41101 55 380
5,5 x 45 mm	3	500	41101 55 450
5,5 x 50 mm	3	500	41101 55 500

Ø 6,3 mm

M = No.3



6,3 x 19 mm	3	500	41101 63 190
6,3 x 22 mm	3	500	41101 63 220
6,3 x 25 mm	3	500	41101 63 250
6,3 x 32 mm	3	500	41101 63 320
6,3 x 38 mm	3	500	41101 63 380
6,3 x 45 mm	3	500	41101 63 450
6,3 x 50 mm	3	500	41101 63 500

Linsenkopf-Bohrschrauben


mit Kreuzschlitz (H-Phillips)

Pan head self drilling screws

with cross recessed (H-Phillips)

Vis autoforeuse-tête cylindrique bombée

empreinte cruciforme (H-Phillips)



Stahl verzinkt
Steel zinc plated

① Acier zingué

② EPDM
EPDM
EPDM

Ø 4,2 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,2 x 13 mm	2	500	41103 42 130
4,2 x 16 mm	2	500	41103 42 160
4,2 x 19 mm	2	500	41103 42 190
4,2 x 22 mm	2	250	41103 42 220
4,2 x 25 mm	2	250	41103 42 250
4,2 x 32 mm	2	250	41103 42 320
4,2 x 38 mm	2	250	41103 42 380

Ø 4,8 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,8 x 13 mm	2	500	41103 48 130
4,8 x 16 mm	2	500	41103 48 160
4,8 x 19 mm	2	500	41103 48 190
4,8 x 22 mm	2	250	41103 48 190
4,8 x 25 mm	2	250	41103 48 220
4,8 x 32 mm	2	250	41103 48 320
4,8 x 38 mm	2	250	41103 48 380
4,8 x 45 mm	2	250	41103 48 450
4,8 x 50 mm	2	250	41103 48 500

Ø 5,5 mm

M = No.3

P = 3 mm

D = 16 mm

= C

5,5 x 19 mm	3	500	41103 55 190
5,5 x 22 mm	3	500	41103 55 220
5,5 x 25 mm	3	500	41103 55 250
5,5 x 32 mm	3	500	41103 55 320
5,5 x 38 mm	3	500	41103 55 380
5,5 x 45 mm	3	500	41103 55 450
5,5 x 50 mm	3	500	41103 55 500

Ø 6,3 mm

M = No.3

P = 3 mm

D = 16 mm


= C

6,3 x 19 mm	3	500	41103 63 190
6,3 x 22 mm	3	500	41103 63 220
6,3 x 25 mm	3	500	41103 63 250
6,3 x 32 mm	3	500	41103 63 320
6,3 x 38 mm	3	250	41103 63 380
6,3 x 45 mm	3	250	41103 63 450
6,3 x 50 mm	3	250	41103 63 500

Linsenkopf-Bohrschrauben
mit Kreuzschlitz (H-Phillips)

Pan head self drilling screws
with cross recessed (H-Phillips)

Vis autoforeuse-tête cylindrique bombée
empreinte cruciforme (H-Phillips)



① A2 W.-Nr. 1.4301/03 AISI 305
A2 W.-Nr. 1.4301/03 AISI 305
A2 W.-Nr. 1.4301/03 AISI 305

Ø 4,2 mm

M = No.2



4,2 x 13 mm	2	1000	41831 42 130
4,2 x 16 mm	2	1000	41831 42 160
4,2 x 19 mm	2	1000	41831 42 190
4,2 x 22 mm	2	500	41831 42 220
4,2 x 25 mm	2	500	41831 42 250
4,2 x 32 mm	2	500	41831 42 320
4,2 x 38 mm	2	500	41831 42 380

Ø 4,8 mm

M = No.2



4,8 x 13 mm	2	1000	41831 48 130
4,8 x 16 mm	2	1000	41831 48 160
4,8 x 19 mm	2	1000	41831 48 190
4,8 x 22 mm	2	500	41831 48 220
4,8 x 25 mm	2	500	41831 48 250
4,8 x 32 mm	2	400	41831 48 320
4,8 x 38 mm	2	250	41831 48 380
4,8 x 45 mm	2	250	41831 48 450
4,8 x 50 mm	2	250	41831 48 500

Ø 5,5 mm

SW = No.3



5,5 x 19 mm	3	250	41831 55 190
5,5 x 22 mm	3	250	41831 55 220
5,5 x 25 mm	3	250	41831 55 250
5,5 x 32 mm	3	250	41831 55 320
5,5 x 38 mm	3	250	41831 55 380
5,5 x 45 mm	3	250	41831 55 450
5,5 x 50 mm	3	250	41831 55 500

Ø 6,3 mm

M = No.3



6,3 x 19 mm	3	500	41831 63 190
6,3 x 22 mm	3	500	41831 63 220
6,3 x 25 mm	3	500	41831 63 250
6,3 x 32 mm	3	500	41831 63 320
6,3 x 38 mm	3	500	41831 63 380
6,3 x 45 mm	3	500	41831 63 450
6,3 x 50 mm	3	500	41831 63 500

Linsenkopf-Bohrschrauben


mit Kreuzschlitz (H-Phillips)

Pan head self drilling screws

with cross recessed (H-Phillips)

Vis autoforeuse-tête cylindrique bombée

empreinte cruciforme (H-Phillips)



A2 W.-Nr. 1.4301/03 AISI 305

A2 W.-Nr. 1.4301/03 AISI 305

A2 W.-Nr. 1.4301/03 AISI 305

- ① EPDM
- EPDM
- EPDM

Ø 4,2 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,2 x 13 mm	2	500	41832 42 130
4,2 x 16 mm	2	500	41832 42 160
4,2 x 19 mm	2	500	41832 42 190
4,2 x 22 mm	2	250	41832 42 220
4,2 x 25 mm	2	250	41832 42 250
4,2 x 32 mm	2	250	41832 42 320
4,2 x 38 mm	2	250	41832 42 380

Ø 4,8 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,8 x 13 mm	2	500	41832 48 130
4,8 x 16 mm	2	500	41832 48 160
4,8 x 19 mm	2	500	41832 48 190
4,8 x 22 mm	2	250	41832 48 190
4,8 x 25 mm	2	250	41832 48 220
4,8 x 32 mm	2	250	41832 48 320
4,8 x 38 mm	2	250	41832 48 380
4,8 x 45 mm	2	250	41832 48 450
4,8 x 50 mm	2	250	41832 48 500

Ø 5,5 mm

M = No.3

P = 3 mm

D = 16 mm

= C

5,5 x 19 mm	3	500	41832 55 190
5,5 x 22 mm	3	500	41832 55 220
5,5 x 25 mm	3	500	41832 55 250
5,5 x 32 mm	3	500	41832 55 320
5,5 x 38 mm	3	500	41832 55 380
5,5 x 45 mm	3	500	41832 55 450
5,5 x 50 mm	3	500	41832 55 500

Ø 6,3 mm

M = No.3

P = 3 mm

D = 16 mm

= C

6,3 x 19 mm	3	500	41832 63 190
6,3 x 22 mm	3	500	41832 63 220
6,3 x 25 mm	3	500	41832 63 250
6,3 x 32 mm	3	500	41832 63 320
6,3 x 38 mm	3	250	41832 63 380
6,3 x 45 mm	3	250	41832 63 450
6,3 x 50 mm	3	250	41832 63 500

Linsenkopf-Bohrschrauben


mit Kreuzschlitz (H-Phillips) - gehärtete Bohrspitze

Pan head self drilling screws

with cross recessed (H-Phillips) - with hardened drilling point

Vis autoforeuse-tête cylindrique bombée

empreinte cruciforme (H-Phillips) - pointe foreuse renforcée



- ① A2 W.-Nr.1.4301/03 AISI 305 [GOEBEL silber GL](#)
 A2 W.-Nr.1.4301/03 AISI 305 [GOEBEL silver GL](#)
 A2 W.-Nr.1.4301/03 AISI 305 [GOEBEL GL argenté](#)

Ø 4,2 mm

M = No.2

= C


4,2 x 16 mm	2	1000	77710 42 160
4,2 x 19 mm	2	1000	77710 42 191

Ø 4,8 mm

M = No.2

= C

4,8 x 16 mm	2	500	77711 48 160
4,8 x 19 mm	2	500	77711 48 190
4,8 x 25 mm	2	500	77710 48 250



A2 W.-Nr. 1.4301/03 AISI 305 [GOEBEL silber GL](#)

A2 W.-Nr. 1.4301/03 AISI 305 [GOEBEL silver GL](#)

- ① A2 W.-Nr. 1.4301/03 AISI 305 [GOEBEL GL argenté](#)

- ② EPDM ③ A2 W.-Nr. 1.4301/03 AISI 305
 EPDM A2 W.-Nr. 1.4301/03 AISI 305
 EPDM A2 W.-Nr. 1.4301/03 AISI 305

Ø 4,2 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,2 x 16 mm	2	500	79911 42 160
4,2 x 19 mm	2	500	79911 42 190

Ø 4,8 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,8 x 16 mm	2	500	79911 48 160
4,8 x 19 mm	2	500	79911 48 190
4,8 x 25 mm	2	500	79911 48 250

Linsenkopf-Bohrschrauben


mit Kreuzschlitz (H-Phillips)

Pan head self drilling screws

with cross recessed (H-Phillips)

Vis autoforeuse-tête cylindrique bombée

empreinte cruciforme (H-Phillips)



- ① C1 W.-Nr. 1.4006 AISI 410 **GOEBEL silber GL**
 C1 W.-Nr. 1.4006 AISI 410 **GOEBEL silver GL**
 C1 W.-Nr. 1.4006 AISI 410 **GOEBEL GL argenté**

Ø 4,2 mm

M = No.2

= C


4,2 x 13 mm	2	1000	41601 42 130
4,2 x 19 mm	2	1000	41601 42 190

Ø 4,8 mm

M = No.2

= C

4,8 x 16 mm	2	500	41601 48 160
4,8 x 19 mm	2	500	41601 48 190
4,8 x 25 mm	2	500	41601 48 250



- ① C1 W.-Nr. 1.4006 AISI 410 **GOEBEL silber GL**
 C1 W.-Nr. 1.4006 AISI 410 **GOEBEL silver GL**
 C1 W.-Nr. 1.4006 AISI 410 **GOEBEL GL argenté**
- ② EPDM ③ A2 W.-Nr. 1.4301/03 AISI 305
 EPDM A2 W.-Nr. 1.4301/03 AISI 305
 EPDM A2 W.-Nr. 1.4301/03 AISI 305

Ø 4,2 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,2 x 13 mm	2	500	40631 42 130
4,2 x 19 mm	2	500	40631 42 190

Ø 4,8 mm

M = No.2

P = 3 mm

D = 12 mm

= C

4,8 x 16 mm	2	500	41631 48 160
4,8 x 19 mm	2	500	41631 48 190
4,8 x 25 mm	2	500	41631 48 250